

=> fil capl

FILE 'CAPLUS' ENTERED AT 11:46:59 ON 27 SEP 2003

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Sep 2003 VOL 139 ISS 14

FILE LAST UPDATED: 26 Sep 2003 (20030926/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.


'FIONA' IS DEFAULT FORMAT FOR 'CAPLUS' FILE

=> s 13

L4 1 L3

=> d que 14 stat

L1 STR



Structure attributes must be viewed using STN Express query preparation.

L3 2 SEA FILE=REGISTRY SSS FUL L1

L4 1 SEA FILE=CAPLUS ABB=ON PLU=ON L3

=> d ibib iabs hitstr


10/088.979

Page 2

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2003 ACS on STN
 ACCESSION NUMBER: 2001:247313 CAPLUS
 DOCUMENT NUMBER: 134:280721
 TITLE: Preparation of trifluoromethyl spirocyclic ketoenols
 for use as pesticides and herbicides
 INVENTOR(S): Fischer, Reiner; Graff, Alan; Bretschneider, Thomas;
 Erdelen, Christoph; Drewes, Mark Wilhelm; Feucht,
 Dieter
 PATENT ASSIGNEE(S): Bayer Aktiengesellschaft, Germany
 SOURCE: PCT Int. Appl., 144 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001023354	A2	20010405	WO 2000-EP9270	20000919
WO 2001023354	A3	20020228		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
DE 19946625	A1	20010405	DE 1999-19946625	19990929
BR 2000014352	A	20020611	BR 2000-14352	20000919
EP 1220841	A2	20020710	EP 2000-967741	20000919
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003510308	T2	20030318	JP 2001-526508	20000919
PRIORITY APPLN. INFO.: DE 1999-19946625 A 19990929 WO 2000-EP9270 W 20000919				

OTHER SOURCE(S): MARPAT 134:280721
 GRAPHIC IMAGE:



ABSTRACT:

Spirocyclic ketoenols, such as I [$X = O, NH$; $R = H, \text{acyl}, \text{alkyloxycarbonyl}$, etc.; $R_1 = H, \text{halogen}, \text{alkyl}, \text{alkoxy}$; $R_2 = H, CN, NO_2, Ph, PhO, PhS, \text{alkyl}, \text{alkenyl}, \text{alkynyl}, \text{alkoxy}, \text{haloalkyl}, \text{haloalkoxy}, \text{phenylalkoxy}, \text{phenylalkylthio}$; $R_3 = H, CN, NO_2, Ph, PhS, PhO, \text{alkyl}, \text{alkenyl}, \text{alkynyl}, \text{alkoxy}, \text{haloalkyl}, \text{haloalkoxy}, \text{phenylalkoxy}, \text{phenylalkylthio}$; $R_4 = H, CN, NO_2, \text{halogen}, \text{alkyl}, \text{alkoxy}, \text{haloalkyl}, \text{haloalkyloxy}$; $R_5 = H, CN, NO_2, OH, PhS, PhO, \text{halogen}, \text{alkyl}, \text{alkoxy}, \text{haloalkyl}, \text{haloalkoxy}, \text{heteroaryloxy}, \text{phenylalkoxy}, \text{phenylalkylthio}$], were prepd. for use as pesticides and herbicides. Thus, spirocyclic ketoenol II was prepd. in 74% yield by intramol. cyclocondensation of ester III, which was prepd. starting from 4-(trifluoromethyl)cyclohexanone and mesityleneacetyl chloride. The prepd. spirocyclic ketoenols were tested for insecticidal activity against species, such as *Myzus persicae*, *Aphis gossypi*, and *Tetranychus urticae*.


IT 332348-73-9P

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(prepn. of trifluoromethyl spirocyclic ketoenols for use as pesticides and herbicides)

RN 332348-73-9 CAPLUS

CN 1-Oxaspiro[4.5]dec-3-en-2-one, 4-hydroxy-3-(2,3,4,6-tetramethylphenyl)-8-(trifluoromethyl)- (9CI) (CA INDEX NAME)



IT 332348-80-8P

RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of trifluoromethyl spirocyclic ketoenols for use as pesticides and herbicides)

RN 332348-80-8 CAPLUS

CN Propanoic acid, 2-methyl-, 2-oxo-3-(2,3,4,6-tetramethylphenyl)-8-(trifluoromethyl)-1-oxaspiro[4.5]dec-3-en-4-yl ester (9CI) (CA INDEX NAME)

